

Filter bags

DEPTH FILTRATION BAGS

SI6PP75

[Link to product's PDF drawing](http://www.everblue.it/CadDrawings/SI6PP7506.PDF)

(<http://www.everblue.it/CadDrawings/SI6PP7506.PDF>)

FEATURES

Model	SI6PP75
Type	Polypropylene
Diameter	6" (155 mm)
Height	19" (480 mm)
Micron	1 / 5 / 10 / 25 / 50 / 75 / 100
Efficiency	75%

MATERIAL

Filtering material	Polypropylene
Ring	Carbon steel

PRESSURE

Max working pressure	6 bar
Max differential pressure suggested	1 bar

TEMPERATURE

Max working temperature	80°C
-------------------------	------

APPLICATIONS

Water
Sea water

OTHER APPLICATIONS ONLY AFTER WRITTEN APPROVAL OF THE MANUFACTURER

Food/Beverage
Coatings/Resins
General Industrial
Bulk Chemicals/Petrolchemicals

Code	Description	Altezza	Micron	Flow l/h ¹	Filtering surface	Quantity box	-
SI6PP751901	SI6PP75 19-01	19" (480 mm)	1	8.000	0,25 m ²	20	
SI6PP751905	SI6PP75 19-05	19" (480 mm)	5	11.000	0,25 m ²	20	
SI6PP751910	SI6PP75 19-10	19" (480 mm)	10	18.000	0,25 m ²	20	
SI6PP751925	SI6PP75 19-25	19" (480 mm)	25	22.000	0,25 m ²	20	
SI6PP751950	SI6PP75 19-50	19" (480 mm)	50	26.000	0,25 m ²	20	
SI6PP751975	SI6PP75 19-75	19" (480 mm)	75	28.000	0,25 m ²	20	
SI6PP7519100	SI6PP75 19-100	19" (480 mm)	100	28.000	0,25 m ²	20	



Approximate picture. Height's choice will lead to the assembly of a product which could differ from those shown in figure

1 - Max water flow rate with new bag at 20°C and differential pressure 0,15 bar

Filter bags

DEPTH FILTRATION BAGS

SI6PP75

RING TYPE TABLE

Ring	Anello interno Diam. 6" (155 mm)
CODE	SI6



SI

BAGS CODE LIST

Model	Height	Micron	Ring diameter	Ring material
SI6PP75	19" (480 mm) 19	1 5 10 25 50 75 100 01 05 10 25 50 75 100	6" (155 mm) 06	Carbon steel A


Filter bags

DEPTH FILTRATION BAGS

SI6PP75

FLOW RATE VS PRESSURE DIFFERENTIAL

Pressure differential



Graphic refers to 19" (480 mm) height bags. Make the correct proportion to obtain flow for taller bags.

Flow