

## Filter bags

# WASHABLE FILTRATION BAGS

# SW7NY75

[Link to product's PDF drawing](http://www.everblue.it/CadDrawings/SW7NY7507.PDF)

(<http://www.everblue.it/CadDrawings/SW7NY7507.PDF>)

### FEATURES

Model	SW7NY75
Type	Polyamide sleeve
Diameter	7" (175/180 mm)
Height	17" (430 mm) - 32" (810 mm)
Micron	25 / 50 / 80 / 100 / 150 / 200 / 250 / 300 / 400 / 600 / 800
Efficiency	75%

### MATERIAL

Filtering material	Nylon
Ring	Polypropylene

### PRESSURE

Max working pressure	6 bar
Max differential pressure suggested	1 bar

### TEMPERATURE

Max working temperature	80°C
-------------------------	------

### APPLICATIONS

Water
Sea water

### OTHER APPLICATIONS ONLY AFTER WRITTEN APPROVAL OF THE MANUFACTURER

Food/Beverage
Coatings/Resins
General Industrial
Bulk Chemicals/Petrolchemicals

Code	Description	Altezza	Micron	Flow l/h <sup>1</sup>	Filtering surface	Quantity box	-
SW7NY751725	SW7NY75 17-25	17" (430 mm)	25	22.000	0,26 m <sup>2</sup>	20	
SW7NY751750	SW7NY75 17-50	17" (430 mm)	50	26.000	0,26 m <sup>2</sup>	20	
SW7NY751780	SW7NY75 17-80	17" (430 mm)	80	28.000	0,26 m <sup>2</sup>	20	
SW7NY7517100	SW7NY75 17-100	17" (430 mm)	100	28.000	0,26 m <sup>2</sup>	20	
SW7NY7517150	SW7NY75 17-150	17" (430 mm)	150	30.000	0,26 m <sup>2</sup>	20	
SW7NY7517200	SW7NY75 17-200	17" (430 mm)	200	30.000	0,26 m <sup>2</sup>	20	
SW7NY7517250	SW7NY75 17-250	17" (430 mm)	250	30.000	0,26 m <sup>2</sup>	20	
SW7NY7517300	SW7NY75 17-300	17" (430 mm)	300	30.000	0,26 m <sup>2</sup>	20	
SW7NY7517400	SW7NY75 17-400	17" (430 mm)	400	30.000	0,26 m <sup>2</sup>	20	
SW7NY7517600	SW7NY75 17-600	17" (430 mm)	600	30.000	0,26 m <sup>2</sup>	20	
SW7NY7517800	SW7NY75 17-800	17" (430 mm)	800	30.000	0,26 m <sup>2</sup>	20	
SW7NY753225	SW7NY75 32-25	32" (810 mm)	25	44.000	0,47 m <sup>2</sup>	15	
SW7NY753250	SW7NY75 32-50	32" (810 mm)	50	52.000	0,47 m <sup>2</sup>	15	



*Approximate picture. Height's choice will lead to the assembly of a product which could differ from those shown in figure*

## Filter bags **WASHABLE FILTRATION BAGS**

# SW7NY75

Code	Description	Altezza	Micron	Flow l/h <sup>1</sup>	Filtering surface	Quantity box	-
SW7NY753280	SW7NY75 32-80	32" (810 mm)	80	56.000	0,47 m <sup>2</sup>	15	
SW7NY7532100	SW7NY75 32-100	32" (810 mm)	100	56.000	0,47 m <sup>2</sup>	15	
SW7NY7532150	SW7NY75 32-150	32" (810 mm)	150	60.000	0,47 m <sup>2</sup>	15	
SW7NY7532200	SW7NY75 32-200	32" (810 mm)	200	60.000	0,47 m <sup>2</sup>	15	
SW7NY7532250	SW7NY75 32-250	32" (810 mm)	250	60.000	0,47 m <sup>2</sup>	15	
SW7NY7532300	SW7NY75 32-300	32" (810 mm)	300	60.000	0,47 m <sup>2</sup>	15	
SW7NY7532400	SW7NY75 32-400	32" (810 mm)	400	60.000	0,47 m <sup>2</sup>	15	
SW7NY7532600	SW7NY75 32-600	32" (810 mm)	600	60.000	0,47 m <sup>2</sup>	15	
SW7NY7532800	SW7NY75 32-800	32" (810 mm)	800	60.000	0,47 m <sup>2</sup>	15	

# Filter bags

## WASHABLE FILTRATION BAGS

### SW7NY75

#### RING TYPE TABLE

<b>Ring</b>	Anello esterno Diam. 7" (175/180 mm)
CODE	SW7



**SW**

#### BAGS CODE LIST

Model	Height	Micron	Ring diameter	Ring material																														
SW7NY75	<table border="1"> <tr> <td>17" (430 mm)</td> <td>17</td> </tr> <tr> <td>32" (810 mm)</td> <td>32</td> </tr> </table>	17" (430 mm)	17	32" (810 mm)	32	<table border="1"> <tr> <td>25</td> <td>25</td> </tr> <tr> <td>50</td> <td>50</td> </tr> <tr> <td>80</td> <td>80</td> </tr> <tr> <td>100</td> <td>100</td> </tr> <tr> <td>150</td> <td>150</td> </tr> <tr> <td>200</td> <td>200</td> </tr> <tr> <td>250</td> <td>250</td> </tr> <tr> <td>300</td> <td>300</td> </tr> <tr> <td>400</td> <td>400</td> </tr> <tr> <td>600</td> <td>600</td> </tr> <tr> <td>800</td> <td>800</td> </tr> </table>	25	25	50	50	80	80	100	100	150	150	200	200	250	250	300	300	400	400	600	600	800	800	<table border="1"> <tr> <td>7" (175/180 mm)</td> <td>07</td> </tr> </table>	7" (175/180 mm)	07	<table border="1"> <tr> <td>Polypropylene</td> <td>PP</td> </tr> </table>	Polypropylene	PP
17" (430 mm)	17																																	
32" (810 mm)	32																																	
25	25																																	
50	50																																	
80	80																																	
100	100																																	
150	150																																	
200	200																																	
250	250																																	
300	300																																	
400	400																																	
600	600																																	
800	800																																	
7" (175/180 mm)	07																																	
Polypropylene	PP																																	


# Filter bags

## WASHABLE FILTRATION BAGS

### SW7NY75

#### FLOW RATE VS PRESSURE DIFFERENTIAL

Pressure differential



Graphic refers to 17" (430 mm) height bags. Make the correct proportion to obtain flow for taller bags.

**Flow**