


## Washable filtration cartridges

# WASHABLE NYLON NET CARTRIDGE

# RLA75B

 [Link to PDF product's drawing](http://www.everblue.it/CadDrawings/RLA75BB.PDF)  
 (http://www.everblue.it/CadDrawings/RLA75BB.PDF)

### FEATURES

Model	RLA75B
Type	Washable net
Height	9" <sup>3</sup> / <sub>4</sub> - 20"
Micron	80
Efficiency	75%
Hot sanitizing	No

### MATERIAL

Filtration material	Nylon net
Internal core	None
External core	Polypropylene

### PRESSURE

Max working pressure	6 bar
Max differential pressure suggested	1 bar

### TEMPERATURE

Max working temperature	80°C
-------------------------	------

### APPLICATIONS

- Water
- Sea water

Code	Description	Height	Micron	Flow l/h <sup>1</sup>	Filtering surface	Quantity box	-
RLA75B0980	RLA75B 09-80	9" <sup>3</sup> / <sub>4</sub>	80	3.000	0,09 m <sup>2</sup>	6	
RLA75B2080	RLA75B 20-80	20"	80	6.000	0,18 m <sup>2</sup>	6	



*Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure*

1 - Max water flow rate at 20°C and differential pressure 0,15 bar

## Washable filtration cartridges

# WASHABLE NYLON NET CARTRIDGE

# RLA75B

### END CAPS LIST

<b>End caps</b>	DOE BIG
CODE	B



### CARTRIDGE CODE LIST


Model	Height	Micron	Connection	Seals											
RLA75B	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">9" ¾</td> <td style="width: 50%; text-align: left;">09</td> </tr> <tr> <td style="text-align: left;">20"</td> <td style="text-align: left;">20</td> </tr> </table>	9" ¾	09	20"	20	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">80</td> <td style="width: 50%; text-align: left;">80</td> </tr> </table>	80	80	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">DOE BIG</td> <td style="width: 50%; text-align: left;">B</td> </tr> </table>	DOE BIG	B	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">*PVC</td> <td style="width: 50%; text-align: left;">PVC</td> </tr> </table>	*PVC	PVC	* standard o-ring
9" ¾	09														
20"	20														
80	80														
DOE BIG	B														
*PVC	PVC														

Washable filtration cartridges  
**WASHABLE NYLON NET CARTRIDGE**

**RLA75B**

**FLOW RATE VS PRESSURE DIFFERENTIAL**

**Pressure differential**



Graphic refers to 9" ¼ height cartridges. Make the correct proportion to obtain flow for taller cartridges.

**Flow**