

Carbon cartridges

ACTIVATED CARBON BLOCK CARTRIDGE

CA-CBB

 [Link to PDF product's drawing](http://www.everblue.it/CadDrawings/CA-CBBB.PDF)
(<http://www.everblue.it/CadDrawings/CA-CBBB.PDF>)

FEATURES

Model	CA-CBB
Type	Activated carbon block
Height	9" $\frac{3}{4}$ - 20"
Micron	5 / 10
Efficiency	85%
Hot sanitizing	No

APPLICATIONS

Water
Sea water

MATERIAL

Filtration material	Briquette activated carbon
Internal core	None
External core	Polypropylene net

PRESSURE

Max working pressure	6 bar
Max differential pressure suggested	2 bar

TEMPERATURE

Max working temperature	50°C
-------------------------	------

Code	Description	Height	Micron	Flow l/h ¹	Filtering surface	Quantity box	-
CACBB0905	CA-CBB 09-05	9" $\frac{3}{4}$	5	456	0,09 m ²	12	
CACBB0910	CA-CBB 09-10	9" $\frac{3}{4}$	10	456	0,09 m ²	12	
CACBB2005	CA-CBB 20-05	20"	5	900	0,18 m ²	6	
CACBB2010	CA-CBB 20-10	20"	10	900	0,18 m ²	6	



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure

Carbon cartridges

ACTIVATED CARBON BLOCK CARTRIDGE

CA-CBB

END CAPS LIST

End caps	DOE BIG
CODE	B



CARTRIDGE CODE LIST

Model	Height	Micron	Connection	Seals													
CA-CBB	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">9" ¾</td> <td style="width: 50%; text-align: left;">09</td> </tr> <tr> <td style="text-align: left;">20"</td> <td style="text-align: left;">20</td> </tr> </table>	9" ¾	09	20"	20	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">5</td> <td style="width: 50%; text-align: left;">05</td> </tr> <tr> <td style="text-align: left;">10</td> <td style="text-align: left;">10</td> </tr> </table>	5	05	10	10	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">DOE BIG</td> <td style="width: 50%; text-align: left;">B</td> </tr> </table>	DOE BIG	B	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: left;">PVC</td> <td style="width: 50%; text-align: left;">PVC</td> </tr> </table>	PVC	PVC	* standard o-ring
9" ¾	09																
20"	20																
5	05																
10	10																
DOE BIG	B																
PVC	PVC																


Carbon cartridges

ACTIVATED CARBON BLOCK CARTRIDGE

CA-CBB

FLOW RATE VS PRESSURE DIFFERENTIAL

Pressure differential



Graphic refers to 9" ¼ height cartridges. Make the correct proportion to obtain flow for taller cartridges.

Flow