

## Filter bags

# DEPTH FILTRATION BAGS

# SW7PP75

[Link to product's PDF drawing](http://www.everblue.it/CadDrawings/SW7PP7507.PDF)

(http://www.everblue.it/CadDrawings/SW7PP7507.PDF)

### FEATURES

Model	SW7PP75
Type	Polypropylene
Diameter	7" (175/180 mm)
Height	17" (430 mm) - 32" (810 mm)
Micron	1 / 5 / 10 / 25 / 50 / 75 / 100
Efficiency	75%

### MATERIAL

Filtering material	Polypropylene
Ring	Polypropylene

### PRESSURE

Max working pressure	6 bar
Max differential pressure suggested	1 bar

### TEMPERATURE

Max working temperature	80°C
-------------------------	------

### APPLICATIONS

Water
Sea water

### OTHER APPLICATIONS ONLY AFTER WRITTEN APPROVAL OF THE MANUFACTURER

Food/Beverage
---------------

Code	Description	Altezza	Micron	Flow l/h <sup>1</sup>	Filtering surface	Quantity box	-
SW7PP751701	SW7PP75 17-01	17" (430 mm)	1	8.000	0,26 m <sup>2</sup>	20	
SW7PP751705	SW7PP75 17-05	17" (430 mm)	5	11.000	0,26 m <sup>2</sup>	20	
SW7PP751710	SW7PP75 17-10	17" (430 mm)	10	18.000	0,26 m <sup>2</sup>	20	
SW7PP751725	SW7PP75 17-25	17" (430 mm)	25	22.000	0,26 m <sup>2</sup>	20	
SW7PP751750	SW7PP75 17-50	17" (430 mm)	50	26.000	0,26 m <sup>2</sup>	20	
SW7PP751775	SW7PP75 17-75	17" (430 mm)	75	28.000	0,26 m <sup>2</sup>	20	
SW7PP7517100	SW7PP75 17-100	17" (430 mm)	100	28.000	0,26 m <sup>2</sup>	20	
SW7PP753201	SW7PP75 32-01	32" (810 mm)	1	16.000	0,47 m <sup>2</sup>	15	
SW7PP753205	SW7PP75 32-05	32" (810 mm)	5	22.000	0,47 m <sup>2</sup>	15	
SW7PP753210	SW7PP75 32-10	32" (810 mm)	10	36.000	0,47 m <sup>2</sup>	15	
SW7PP753225	SW7PP75 32-25	32" (810 mm)	25	44.000	0,47 m <sup>2</sup>	15	
SW7PP753250	SW7PP75 32-50	32" (810 mm)	50	52.000	0,47 m <sup>2</sup>	15	
SW7PP753275	SW7PP75 32-75	32" (810 mm)	75	56.000	0,47 m <sup>2</sup>	15	
SW7PP7532100	SW7PP75 32-100	32" (810 mm)	100	56.000	0,47 m <sup>2</sup>	15	



Approximate picture. Height's choice will lead to the assembly of a product which could differ from those shown in figure

# Filter bags

## DEPTH FILTRATION BAGS

### SW7PP75

#### RING TYPE TABLE

<b>Ring</b>	Anello esterno Diam. 7" (175/180 mm)
CODE	SW7



**SW**

#### BAGS CODE LIST


Model	Height	Micron	Ring diameter	Ring material																						
SW7PP75	<table border="1"> <tr> <td>17" (430 mm)</td> <td>17</td> </tr> <tr> <td>32" (810 mm)</td> <td>32</td> </tr> </table>	17" (430 mm)	17	32" (810 mm)	32	<table border="1"> <tr> <td>1</td> <td>01</td> </tr> <tr> <td>5</td> <td>05</td> </tr> <tr> <td>10</td> <td>10</td> </tr> <tr> <td>25</td> <td>25</td> </tr> <tr> <td>50</td> <td>50</td> </tr> <tr> <td>75</td> <td>75</td> </tr> <tr> <td>100</td> <td>100</td> </tr> </table>	1	01	5	05	10	10	25	25	50	50	75	75	100	100	<table border="1"> <tr> <td>7" (175/180 mm)</td> <td>07</td> </tr> </table>	7" (175/180 mm)	07	<table border="1"> <tr> <td>Polypropylene</td> <td>PP</td> </tr> </table>	Polypropylene	PP
17" (430 mm)	17																									
32" (810 mm)	32																									
1	01																									
5	05																									
10	10																									
25	25																									
50	50																									
75	75																									
100	100																									
7" (175/180 mm)	07																									
Polypropylene	PP																									

# Filter bags DEPTH FILTRATION BAGS

## SW7PP75

### FLOW RATE VS PRESSURE DIFFERENTIAL

**Pressure differential**



Graphic refers to 17" (430 mm) height bags. Make the correct proportion to obtain flow for taller bags.

**Flow**