#### **Manual Cable Drum**

KTM-150



# **Automatic Cable Drums**

KTU-180 | KTA-250



Caple drums	KIM-/X	K1U-18U	K1A-250
Version	manual	semi-automatic	automatic
Camera cable, extreme robust, Kevlar reinforced, abrasion and acid resistant	50 - 150 m / 250 m	100 - 180 m	150 - 250 m
Control unit integrated in the cable drum	×	<b>~</b>	✓
Integrated digital meter counter	✓	<b>~</b>	✓
Crawler synchronization or manual operation	✓	<b>~</b>	✓
Stepless adjustable traction force	×	<b>~</b>	✓
Automatic cable return guide	×	×	✓
Power supply via control unit	✓	<b>~</b>	✓
Dimensions (L x W x H)	530 x 380 x 520 mm	677 x 289 x 476 mm	880 x 350 x 480 mm
Weight	<b>ca. 19 kg / 27 kg</b> (with 150 m / 250 m cable)	ca. 38 kg (with 180 m cable)	ca. 50 kg (with 250 m cable)

## Well inspection

The RIEZLER cable drums are all suitable for use with our crawler systems as well as for the inspection of wells.

### **Push system expansion**

In conjunction with a glassfibre rod the cable drums can also be used for push operation.





## Popular sample configuration

As a full-value system for simple and mobile use the compilation of the control unit MSE-500 with manual cable drum KTM-150 and crawler FWL-100 is used by our customers over and over again.







**Manual Cable Drum** 





Semi-automatic Cable Drum


**KTU-180** 



Automatic Cable Drum

**KTA-250** 





# RIEZLER Inspektionssysteme GmbH & Co. KG

Sportplatzweg 5 | 87471 Durach | Germany Tel. +49 (831) 27714 | info@riezler.eu | www.riezler.eu

Issue: May 2017 - subject to changes